

Table 1. – Chinook Salmon total run and subsistence harvests of the Kuskokwim River, 1990–2013.

Year	Total Run	Lower River Harvest ^a	Middle River Harvest	Upper River Harvest	Combined Middle & Upper River Harvest	Total Harvest	Drainage Escapement
1990	264,802	95,284	9,871	4,623	14,494	109,778	100,614
1991	218,705	61,327	9,613	3,880	13,493	74,820	105,589
1992	284,846	69,276	8,621	4,584	13,205	82,481	153,573
1993	269,305	72,039	11,379	4,412	15,791	87,830	169,816
1994	365,246	87,815	10,111	4,891	15,002	102,817	242,616
1995	360,513	85,248	11,955	4,717	16,672	101,921	225,595
1996	302,603	82,524	9,074	4,879	13,953	96,477	197,092
1997	303,189	65,767	8,888	4,679	13,567	79,334	211,247
1998	213,873	69,649	7,544	3,777	11,321	80,969	113,627
1999	189,939	63,739	7,034	2,765	9,799	73,538	112,082
2000	136,618	59,144	6,306	2,146	8,452	67,596	65,180
2001	223,707	68,694	6,965	2,515	9,480	78,174	145,232
2002	246,296	69,144	8,161	3,864	12,025	81,169	164,635
2003	248,789	60,627	5,126	1,984	7,110	67,737	180,687
2004	388,136	83,956	8,971	3,861	12,832	96,788	287,178
2005	366,601	75,408	6,840	3,615	10,455	85,863	275,598
2006	307,662	78,957	8,362	3,494	11,856	90,812	214,004
2007	273,060	83,779	7,710	3,409	11,119	94,898	174,943
2008	237,074	78,273	8,055	2,584	10,639	88,912	128,978
2009	204,747	69,424	7,228	3,244	10,472	79,896	118,478
2010	118,507	60,502	5,339	1,445	6,784	67,286	49,074
2011	133,059	54,350	5,655	2,361	8,016	62,366	69,726
2012	99,807	19,422	2,117	1,005	3,122	22,544	76,945
2013	94,166	42,667	3,656	790	4,446	47,113	47,488

Note: This is the data that all graphs were built from.

^a Lower River harvest includes harvest from North Kuskokwim Bay (Kongiginak).

Table 2.– Commercial salmon harvest, District W-1, Kuskokwim River, Kuskokwim Management Area, 2003–2014.

Year	Chinook		Sockeye ^a	Coho ^a	Chum ^a
	Sold	Personal Use			
2003	158	0	282	284,064	2,764
2004	2,305	0	8,532	435,407	20,150
2005	4,784	0	27,645	142,319	69,139
2006	2,777	0	12,618	185,598	44,070
2007	179	0	703	141,049	10,763
2008	8,865	0	15,601	142,862	30,516
2009	6,664	0	25,673	104,546	76,790
2010	2,731	1	22,428	58,031	93,148
2011	49	680	13,482	74,108	118,256
2012	14	449	2,857	86,389	65,171
2013	1	162	768	114,069	52,235
2014	0	31	2,714	117,557	19,048


^a Very small amounts of personal use were reported for these species. Numbers are represented in the post season subsistence harvest estimates for these species.

Table 3.–Estimated number of Chinook salmon harvested in the Kuskokwim area, 2003 to 2013.

Community	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Average 2008-2012	Average 2003-2012
Kongiganak	2,003	2,663	1,536	1,729	1,865	2,233	1,243	1,456	1,208	287	641	1,285	1,622
North Kuskokwim Bay	2,003	2,663	1,536	1,729	1,865	2,233	1,243	1,456	1,208	287	641	1,285	1,622
Tuntutuliak	2,657	3,912	4,545	4,469	4,614	4,266	3,067	3,261	3,032	1,123	2,448	2,950	3,495
Eek	2,075	2,954	3,133	2,501	2,512	2,966	1,982	1,761	1,378	1,004	1,188	1,818	2,227
Kasigluk	4,711	7,859	5,242	4,905	5,167	2,471	2,464	3,014	2,823	552	2,919	2,265	3,921
Nunapitchuk	3,179	4,921	4,103	4,121	4,661	4,234	3,468	2,548	3,559	845	2,563	2,931	3,564
Atmautluak	547	2,153	1,927	1,758	1,890	1,298	1,567	1,088	1,236	234	1,592	1,085	1,370
Napakiak	2,438	2,839	3,060	5,125	3,245	1,903	2,387	1,674	1,963	457	1,588	1,677	2,509
Napaskiak	3,390	4,058	4,485	5,877	6,392	4,555	5,372	4,333	3,360	1,108	2,939	3,746	4,293
Oscarville	1,153	1,325	1,069	1,052	1,360	1,351	754	618	694	51	585	694	943
Bethel	24,584	29,443	28,293	27,805	30,422	27,800	26,170	26,157	25,093	7,321	17,246	22,508	25,309
Kwethluk	4,206	7,157	6,089	7,258	6,466	8,451	7,130	4,440	2,467	1,709	3,192	4,839	5,537
Akiachak	2,493	7,131	5,411	5,561	7,621	9,719	7,361	4,470	3,852	2,862	3,585	5,653	5,648
Akiak	3,905	3,775	3,860	4,423	4,297	4,090	3,247	3,625	2,455	1,218	1,449	2,927	3,489
Tuluksak	3,286	3,766	2,655	2,372	3,266	2,937	3,212	2,057	1,230	651	732	2,017	2,543
Lower Kuskokwim	58,624	81,293	73,872	77,228	81,914	76,040	68,181	59,046	53,142	19,135	42,026	55,109	64,847
Lower Kalskag	1,556	1,991	1,417	3,494	1,937	1,748	2,525	1,030	1,260	459	744	1,404	1,742
Upper Kalskag	1,328	2,498	2,533	1,569	1,383	2,435	1,696	1,496	1,772	562	1,317	1,592	1,727
Aniak	1,837	3,022	1,977	2,412	3,417	3,100	2,130	2,262	2,214	993	1,440	2,140	2,336
Chuathbaluk	405	1,460	913	887	973	772	877	551	409	103	155	542	735
Middle Kuskokwim	5,126	8,971	6,840	8,362	7,710	8,055	7,228	5,339	5,655	2,117	3,656	5,679	6,540
Crooked Creek	582	946	948	736	647	488	608	240	402	124	145	372	572
Red Devil	31	156	181	232	301	148	258	33	186	225	77	170	175
Sleetmute	600	906	522	750	861	933	693	272	242	132	96	454	591
Stony River	118	688	311	288	530	514	704	189	134	151	51	338	363
Lime Village	34	69	171	103	95	29	75	47	118	29	43	60	77
McGrath	395	587	910	689	495	288	600	262	829	68	95	409	512
Takotna	0	16	8	0	10	0	8	0	0	0	0	2	4
Nikolai	224	493	564	696	471	184	298	402	450	276	283	322	406
Telida	-	-	-	-	-	-	-	-	-	-	-	-	-
Upper Kuskokwim	1,984	3,861	3,615	3,494	3,409	2,584	3,244	1,445	2,361	1,005	790	2,128	2,700
Kuskokwim River*	67,737	96,788	85,863	90,812	94,898	88,912	79,896	67,286	62,366	22,544	47,113	64,201	75,710

Note: Dashes indicate harvest was not estimated, Bold indicates Bayesian estimates.

* Kuskokwim River Total includes the Lower, Middle, Upper Kuskokwim areas and North Kuskokwim Bay.



Chinook salmon use by community, Kuskokwim River (Avg 2003–2011)

Table 4. –Estimated number of chum salmon harvested in the Kuskokwim area, 2003 to 2013

Community	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Average 2008-2012	Average 2003-2012
Kongiganak	897	2,958	1,960	2,420	2,353	1,755	1,420	2,522	2,809	1,638	1,397	2,029	2,073
North Kuskokwim Bay	897	2,958	1,960	2,420	2,353	1,755	1,420	2,522	2,809	1,638	1,397	2,029	2,073
Tuntutuliak	1,288	2,546	3,568	4,024	3,350	3,375	3,330	2,439	1,865	2,614	2,180	2,725	2,840
Eek	578	688	877	1,075	783	788	782	721	486	1,552	1,232	866	833
Kasigluk	3,581	5,064	4,194	5,461	4,309	1,502	1,857	2,338	2,029	3,261	2,197	2,197	3,360
Nunapitchuk	2,865	5,053	4,167	5,150	6,619	4,705	3,468	3,223	4,257	5,312	2,977	4,193	4,482
Atmautluak	849	2,271	1,940	2,337	2,193	2,177	1,665	1,386	1,864	2,701	2,409	1,959	1,938
Napakiak	1,560	2,328	3,238	8,143	3,628	1,313	1,638	1,759	1,546	1,711	1,185	1,593	2,686
Napaskiak	2,061	2,705	2,205	4,323	3,032	2,400	1,451	3,110	1,783	3,216	2,589	2,392	2,629
Oscarville	804	828	686	1,151	932	847	534	352	402	599	490	547	714
Bethel	11,452	13,448	14,273	20,953	16,540	15,853	10,055	9,575	15,324	26,872	12,506	15,536	15,435
Kwethluk	2,294	4,288	4,328	6,328	6,291	5,729	4,111	3,112	3,484	3,849	3,825	4,057	4,381
Akiachak	2,650	3,880	2,428	4,333	4,782	6,856	2,872	2,856	3,205	4,150	3,417	3,988	3,801
Akiak	2,928	3,499	3,528	3,095	4,141	3,522	1,350	1,163	2,421	2,925	2,212	2,276	2,857
Tuluksak	894	2,433	2,183	3,094	3,202	2,920	1,570	3,180	2,697	2,585	3,062	2,590	2,476
Lower Kuskokwim	33,804	49,031	47,615	69,466	59,803	51,988	34,683	35,214	41,363	61,347	40,281	44,919	48,431
Lower Kalskag	1,087	1,316	997	4,703	1,997	1,004	930	691	1,643	3,284	1,214	1,510	1,765
Upper Kalskag	516	1,656	1,201	2,469	294	2,432	329	391	1,599	1,930	1,534	1,336	1,282
Aniak	820	2,535	2,952	3,722	4,108	2,830	2,602	2,515	2,391	5,667	2,880	3,201	3,014
Chuathbaluk	2,502	2,352	530	1,451	1,541	593	937	535	686	796	935	709	1,192
Middle Kuskokwim River	4,925	7,859	5,680	12,345	7,940	6,859	4,798	4,132	6,319	11,677	6,563	6,757	7,253
Crooked Creek	750	1,583	1,064	1,513	813	352	519	539	862	610	1,803	576	861
Red Devil	63	135	214	41	186	188	244	122	434	516	981	301	214
Sleetmute	468	1,054	422	1,475	818	373	367	524	689	1,004	542	591	719
Stony River	361	754	324	790	540	1,247	771	338	516	491	27	673	613
Lime Village	110	199	573	316	419	297	405	314	499	419	909	387	355
McGrath	513	290	470	999	464	676	825	944	476	885	598	761	654
Takotna	0	0	4	0	0	0	0	0	0	0	12	0	0
Nikolai	191	277	230	308	223	54	292	440	349	1,044	513	436	341
Telida	-	-	-	-	-	-	-	-	-	-	-	-	-
Upper Kuskokwim River	2,456	4,292	3,301	5,442	3,464	3,187	3,423	3,221	3,825	4,970	5,386	3,725	3,758
Kuskokwim River *	42,082	64,140	58,555	89,674	73,560	63,789	44,324	45,089	54,316	79,631	53,627	57,430	61,516

Note: Dashes indicate harvest was not estimated, Bold indicates Bayesian estimates.

* Kuskokwim River Total includes the Lower, Middle, Upper Kuskokwim areas and North Kuskokwim Bay.

Table 5.—Estimated number of sockeye salmon harvested in the Kuskokwim area, 2003 to 2013.

Community	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Average 2008-2012	Average 2003-2012
Kongiganak	929	1,809	1,103	1,464	960	1,502	1,018	1,869	1,266	1,307	1,031	1,392	1,323
North Kuskokwim Bay	929	1,809	1,103	1,464	960	1,502	1,018	1,869	1,266	1,307	1,031	1,392	1,323
Tuntutuliak	1,148	1,620	2,145	1,834	1,763	2,120	932	2,068	1,274	1,516	1,183	1,582	1,642
Eek	586	567	1,033	684	558	834	1,019	1,241	664	1,490	1,319	1,050	868
Kasigluk	2,429	1,668	1,634	2,248	1,786	1,041	1,215	1,441	1,269	1,451	1,470	1,283	1,618
Nunapitchuk	1,714	1,659	1,821	1,871	2,147	2,549	1,538	1,902	2,223	2,396	1,806	2,122	1,982
Atmautluak	679	1,103	1,444	1,012	1,041	1,250	624	731	827	1,623	1,316	1,011	1,033
Napakiak	1,453	1,351	2,122	1,845	1,962	1,244	917	1,183	1,351	1,141	1,105	1,167	1,457
Napaskiak	1,643	1,148	1,344	1,784	1,738	2,620	1,579	1,979	1,587	2,065	2,069	1,966	1,749
Oscarville	806	436	278	778	712	677	332	250	228	323	347	362	482
Bethel	12,198	11,679	14,297	12,816	13,902	15,247	11,272	11,103	16,946	18,282	12,616	14,570	13,774
Kwethluk	1,903	3,302	2,457	2,770	3,536	4,920	2,432	2,534	2,357	2,884	2,705	3,025	2,910
Akiachak	1,607	3,109	2,372	2,661	3,269	4,354	2,407	2,433	2,647	3,443	2,594	3,057	2,830
Akiak	995	1,258	1,920	2,000	3,695	2,881	1,290	1,161	2,576	1,818	1,731	1,945	1,959
Tuluksak	875	1,670	987	2,247	1,845	2,133	1,691	2,483	1,699	1,380	1,541	1,877	1,701
Lower Kuskokwim	28,036	30,570	33,854	34,550	37,955	41,869	27,248	30,509	35,648	39,812	31,802	35,017	34,005
Lower Kalskag	515	775	439	1,434	780	1,583	1,044	507	802	891	977	965	877
Upper Kalskag	431	686	945	563	417	1,000	369	460	938	770	662	707	658
Aniak	756	996	1,015	692	1,261	1,585	923	1,165	1,168	1,375	1,466	1,243	1,094
Chuathbaluk	274	526	369	508	484	363	564	403	300	297	480	385	409
Middle Kuskokwim	1,976	2,983	2,768	3,197	2,942	4,531	2,900	2,535	3,208	3,333	3,585	3,301	3,037
Crooked Creek	571	732	693	544	523	220	329	302	243	234	514	266	439
Red Devil	309	88	272	510	318	359	477	475	502	511	270	465	382
Sleetmute	504	980	673	1,181	1,303	1,164	684	1,024	693	715	362	856	892
Stony River	158	896	688	746	1,019	1,476	977	372	303	469	447	719	710
Lime Village	374	874	1,368	1,216	1,406	659	1,080	932	739	780	831	838	943
McGrath	112	194	454	149	375	417	965	650	630	233	538	579	418
Takotna	1	0	1	0	1	3	3	2	0	2	2	2	1
Nikolai	2	1	10	20	14	13	66	65	13	0	0	31	20
Telida	-	-	-	-	-	-	-	-	-	-	-	-	-
Upper Kuskokwim	2,031	3,765	4,160	4,365	4,960	4,310	4,581	3,822	3,123	2,945	2,964	3,756	3,806
Kuskokwim River*	32,973	39,127	41,885	43,577	46,817	52,213	35,747	38,735	43,245	47,396	39,382	43,467	42,171

Note: Dashes indicate harvest was not estimated, Bold indicates Bayesian estimates.

* Kuskokwim River Total includes the Lower, Middle, Upper Kuskokwim areas and North Kuskokwim Bay.

Table 6.—Estimated number of coho salmon harvested in the Kuskokwim area, 2003 to 2013

Community	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Average 2008-2012	Average 2003-2012
Kongiganak	236	937	740	657	883	557	561	483	613	356	412	619	630
North Kuskokwim Bay	236	937	740	657	883	557	561	483	613	356	412	619	630
Tuntutuliak	2,092	1,189	1,074	948	703	1,620	359	698	250	565	450	726	993
Eek	747	1,018	378	773	459	661	176	315	280	612	483	378	534
Kasigluk	1,762	5,034	1,304	3,070	1,753	867	629	1,043	430	303	418	944	1,766
Nunapitchuk	627	555	807	692	1,752	508	286	195	407	319	226	630	648
Atmaultuak	283	744	530	254	424	262	67	36	263	383	203	210	318
Napakiak	992	1,648	742	2,363	1,244	1,006	420	877	927	402	634	895	1,135
Napaskiak	983	655	602	1,640	639	903	786	1,029	471	269	772	766	856
Oscarville	19	304	60	175	180	62	67	12	43	38	37	73	102
Bethel	15,062	17,040	12,994	18,810	12,972	15,839	12,895	20,426	18,141	13,280	12,662	16,055	16,020
Kwethluk	1,787	3,430	3,048	1,245	1,624	7,262	4,333	1,495	1,097	1,013	1,555	3,162	2,813
Akiachak	1,627	2,397	1,817	1,714	2,355	4,311	1,790	1,181	1,440	714	1,106	2,215	2,070
Akiak	1,094	1,342	1,847	379	1,325	1,358	661	475	505	455	454	865	998
Tuluksak	921	1,007	484	498	1,131	635	857	330	163	341	473	623	670
Lower Kuskokwim River	27,996	36,363	25,687	32,561	26,561	35,293	23,326	28,112	24,417	18,694	19,473	27,542	28,924
Lower Kalskag	314	368	319	1,415	515	76	318	96	684	1,107	529	338	456
Upper Kalskag	462	1,500	594	1,799	381	2,350	181	92	998	360	636	800	929
Aniak	1,164	2,355	2,032	1,018	3,003	2,883	2,223	2,533	2,215	3,365	3,102	2,571	2,158
Chuathbaluk	259	284	346	727	419	525	96	76	109	179	319	245	316
Middle Kuskokwim River	2,199	4,507	3,291	4,959	4,318	5,834	2,818	2,797	4,006	5,011	4,586	3,955	3,859
Crooked Creek	375	713	312	401	289	952	283	87	297	149	255	382	412
Red Devil	351	65	331	171	193	307	126	88	130	238	318	169	196
Sleetmute	731	505	581	671	360	228	403	458	426	784	219	375	485
Stony River	214	679	468	322	336	552	634	201	333	358	120	411	415
Lime Village	46	231	372	132	443	695	210	146	596	117	384	418	319
McGrath	997	1,228	799	894	279	247	1,175	1,053	1,331	2,257	523	817	889
Takotna	6	51	8	0	8	6	28	20	3	22	0	13	14
Nikolai	379	171	166	407	95	53	203	135	20	214	119	101	181
Telida	-	-	-	-	-	-	-	-	-	-	-	-	-
Upper Kuskokwim River	3,099	3,643	3,037	2,998	2,005	3,040	3,062	2,188	3,136	4,139	1,938	2,686	2,912
Kuskokwim River ^a	33,531	45,450	32,755	41,175	33,766	44,724	29,767	33,580	32,172	28,200	26,409	34,802	36,324

-: Harvest was not estimated

Bold Italic : Bayesian Imputed estimates

* Kuskokwim River Total includes the Lower, Middle, Upper Kuskokwim areas and North Kuskokwim Bay.

Bethel Test Fishery: 5 -Year Average Daily CPUE Index, 2009-2013




Table 7.— Estimated number of households that subsistence fished in communities surveyed, Kuskokwim Area, 2007-2014.

Community	2008	2009	2010	2011	2012	2013	Average	
							2014*	2008-2011
Kongiganak	65	57	62	69	—	—	—	63
N. Kuskokwim Bay	65	57	62	69	—	—	—	63
Tuntutuliak	—	66	72	73	75	74	—	70
EEK	—	52	66	58	68	73	55	59
Kasigluk	65	62	74	86	68	86	83	72
Nunapitchuk	—	73	83	92	87	87	97	83
Atmautluak	—	41	42	36	38	46	43	40
Napakiak	52	67	60	74	62	68	47	63
Napaskiak	59	79	77	66	71	80	80	70
Oscarville	17	15	13	11	10	10	13	14
Bethel	886	941	1,353	1,175	824	968	832	1,089
Kwethluk	121	119	102	108	96	123	120	113
Akiachak	120	110	114	108	113	127	107	113
Akiak	61	55	66	58	79	64	59	60
Tuluksak	75	60	62	56	67	70	68	63
Lower Kuskokwim	1,454	1,739	2,183	2,000	1,659	1,876	1,614	1,844
Lower Kalskag	53	43	36	54	57	45	49	47
Upper Kalskag	36	45	41	51	37	48	39	43
Aniak	132	119	98	107	107	117	100	114
Chuathbaluk	23	24	19	16	21	24	21	21
Middle Kuskokwim	245	231	195	227	223	234	208	225
Crooked Creek	25	20	15	24	21	—	18	21
Red Devil	13	9	8	9	7	9	9	10
Sleetmute	22	25	22	22	18	19	23	23
Stony River	11	13	12	9	—	7	6	11
Lime Village	—	—	—	—	8	—	—	—
McGrath	43	46	23	36	41	34	40	37
Takotna	—	—	—	8	—	—	0	8
Nikolai	16	22	19	18	22	17	18	19
Telida	—	—	—	—	—	—	—	—
Upper Kuskokwim	129	133	99	125	117	86	115	122
Kuskokwim River	1,893	2,160	2,538	2,421	1,998	2,197	1,937	2,253

* Preliminary and subject to change.

— indicates no data

Table 8.– Chinook salmon travel speed (mile/day) based on radio telemetry data

Section	Distance (mile)		Year							Avg.	
			2002	2003	2004	2005	2006	2007	2014		
S1 - S2	48	<i>n</i>								68	
		Time (days)								6.4	
		Speed (mi/day)								7.5	
S2 - S3	72	<i>n</i>								40	
		Time (days)								4.7	
		Speed (mi/day)								15.5	
S3 - S4	81	<i>n</i>	226	438	282	342	113	316	265	1,982	
		Time (days)	3.6	4.0	4.5	2.9	2.7	5.1	4.3	4.0	
		Speed (mi/day)	22	20	18	28	30	16	19	20	
S4 - S5	104	<i>n</i>	76	322	165	273	92	219	234	1,381	
		Time (days)	3.6	4.3	4.0	4.2	4.0	3.8	3.6	4.0	
		Speed (mi/day)	29	24	26	25	26	28	29	26	
S5 - Headwaters	163	<i>n</i>	9	37	6	19	22	18	63	174	
		Time (days)	8.7	8.3	8.9	7.6	7.9	11.2	8.6	8.6	
		Speed (mi/day)	19	20	18	21	21	15	19	19	

Section Key:

S1 Apokak Slough
 S2 Johnson River
 S3 Tuluksak River
 S4 Chuathbaluk
 S5 Holitna River
 Headwaters McGrath

Table 9.--Sport fishing harvest and catch of king salmon in the Aniak, Kisaralik, Kwethluk, and other Kuskokwim rivers, 2003–2013.

Year	Aniak River		Kisaralik River		Kwethluk River		Holitna River		Kuskokwim River Total	
	Harvest	Catch	Harvest	Catch	Harvest	Catch	Harvest	Catch	Harvest	Catch
2003	12	874	75	552	103	861	48	272	401	5,020
2004	335	1,103	58	1,774	150	778	136	619	857	5,133
2005	189	594	40	907	65	385	180	470	572	2,652
2006	29	1,201	86	359	183	493	16	173	444	3,480
2007	162	5,380	446	1,096	93	733	86	171	1,683	11,224
2008	26	3,614	148	1,583	149	845	122	928	739	7,382
2009	10	796	51	287	42	499	0	676	917	3,586
2010	0	1,902	0	717	136	584	39	130	354	3,564
2011	51	1,069	17	864	0	0	318	1,641	757	4,249
2012	0	135	0	97	0	86	0	0	0	415
2013	0	328	0	0	0	211	0	0	0	662
Average 2003–2012	81	1,667	92	824	92	526	95	508	672	4,671
Average 2008–2012	17	1,503	43	710	65	403	96	675	553	3,839

Source: Sport Fish Statewide Harvest Survey

Table 10.–Kuskokwim River drainage guided angler king salmon harvest and king salmon released, 2006-2013.

Year	Aniak River		Kuskokwim River drainages below Aniak River ^a		Other streams above Aniak River ^b		Total Kuskokwim River drainage	
	Harvest	Release	Harvest	Release	Harvest	Release	Harvest	Release
2006	ND	ND	5	824	135	449	140	1,273
2007	14	1,600	0	316	61	577	75	2,493
2008	31	957	0	149	184	429	215	1,535
2009	25	492	0	10	16	447	41	949
2010	10	443	6	39	76	219	92	701
2011	12	500	2	35	154	221	168	756
2012	5	39	0	2	0	135	5	176
2013	0	12	0	5	31	30	31	47
Average 2008-2013	17	486	2	47	86	290	105	823

Source: Sport Fish Guide Logbook Database

^a Data for 2006 includes Aniak River.

^b Includes Holitna River data.